iTasbeeh | Equantu













Trust Center · 2026

نظرة عامة على الشهادات

ملفات الامتثال لخواتم الذكر من iTasbeeh وسماعات القرآن الكريم من Equantu.

MSDS / UN38.3 | ISO 9001 | RoHS | FCC | CE

Equantu · منذ 2011 · أكثر من 170 دولة · www.equantu.com

ملخص الامتثال

خمس فئات من الملفات. النسخ الكاملة وتقارير الاختبار متاحة عند الطلب.

CE	المطابقة للطرازات المعنية (EMC / RED / LVD)	
FCC	إقرارات الأجهزة اللاسلكية و EMC للطرازات المعنية	
MSDS · UN38.3	بيانات سلامة البطارية واختبارات نقل الليثيوم للطرازات العاملة بالبطارية	
RoHS	تقييد المواد الخطرة	
ISO 9001	نظام إدارة الجودة — على مستوى الشركة	

حسب الفئة

الشهادات حسب فئة المنتج

الفئة	CE	FCC	RoHS	ISO 9001	MSDS / UN38.3
خواتم الذكر والأساور (iTasbeeh)	متوفر	متوفر	متوفر	على مستوى الشركة	متوفر*
سماعات القرآن الكريم (Equantu)	متوفر	متوفر	متوفر	على مستوى الشركة	متوفر*

- * للطرازات العاملة بالبطارية فقط.
- تغطي ISO 9001 نظام إدارة الجودة في الشركة، وليس المنتجات بشكل فردي.
- يختلف نطاق الشهادات حسب الطراز؛ تتوفر نسخ وتقارير اختبار خاصة بكل SKU عند الطلب.












نسخ الشهادات

CE و FCC (مقتطفات)

مقتطفات فقط — النسخ الكاملة للشهادات وتقارير الاختبار متاحة عند الطلب.

CE


Product / Produkt : PROJECTOR QUR' AN SPEAKER

Model(s) / Bezeichnung : QB-526
QB303, QB512, QB526, QB705, QB806, QB808, QB809, QB812, QB818, QB910, QB957, QB958, QB959, QB960, SQ101, SQ102PLUS, SQ112, SQ122, SQ168, SQ169, SQ170, SQ171, SQ172, SQ173, SQ200, SQ600, SQ666, SQ669, SQ702, SQ707, SQ712, SQ802, SQ805, SQ905, SQ917, SQ953, SQ958, SQ959, MP300, BTK10, SQ603, SQ803, SQ902, QB608, QB702, QB708, QB709


Test Standard / Geprüft nach : EN 55032:2015+A11:2020
EN 55035:2017+A11:2020
EN IEC 61000-3-2:2019
EN 61000-3-3:2013 + A1:2019

Test Report No. / Bericht Nr : LTT-230518002E

This Certificate of Compliance is issued on a voluntary basis for electrical equipment below the voltage limits of EMC Directive 2014/30/EU. The essential requirements are fulfilled according to basis on the technical specifications applicable at the time of issuance. It is only valid in connection into the test report.

CE

Manager
May 18, 2023


Product : Smart Health Ring

Model No. : SQ666-1,SQ666,SQ666 PRO,SQ666 PRO+,Y10,Y10 PRO,Y10 PRO+,D10, D10PRO,D10PRO+,BCL603,A001-A100,B001-B100,C001-C100, D001-D100,E001-E100

The submitted products have been tested by us with the listed standards and found in compliance with the following European Directives:

EMC Directive 2014/30/EU

standard : EN 55032:2015+A11:2020+A1:2020
EN 55035:2017+A11:2020

Therefore, Shenzhen SAIL Testing Technology Co.,Ltd hereby acknowledges that the manufacturer may issue a declaration of conformity and apply the CE marking in accordance with European Union Rules.

CE

Attestation by:

Mars Zhang, Chief Manager

APPROVED

1.This certificate is only valid in connection with the test report number: SAIL240611202E034
2.This certificate of conformity is based on a single evaluation of the submitted sample(s) of the above-mentioned product. It does not imply an assessment of the whole production and other relevant directives have to be observed.Other relevant Directives have to be observed.


Radio Equipment Directive 2014/53/EU

The standard(s) used for showing compliance with the essential requirements in the specified directive(s):

Applicable Standard(s)	Test Report(s) Number
EN 50663:2017	RKEYS250224010
ETSI EN 300 328 V2.2.2 (2019-07)	RKEYS250224011
ETSI EN 301 489-1 V2.2.3 (2019-11)	RKEYS250224012
ETSI EN 301 489-17 V3.2.4 (2020-09)	
EN IEC 62368-1:2024/A11:2024	RKEYS250224013

This certificate is part of the full test report(s) and should be read in conjunction with it. This certificate is based on an evaluation of one sample of above mentioned product. It does not imply assessment of the production of the product. Without the written approval of Guangdong KEYS Testing Technology Co., Ltd. this certificate is not permitted to be reproduced, except in full. It is not permitted to use the test lab's logo. The CE marking may only be used if all the relevant and effective European Directives are applicable.

CE

KEYS

Manager
Date: February 27, 2025

FCC


SAIL

FCC TEST REPORT

For

Shenzhen Huagepeng Technology Co., LTD

Smart Health Ring

Model No. : SQ666-1,SQ666,SQ666 PRO,SQ666 PRO+,Y10, Y10 PRO,Y10 PRO+,D10,D10PRO,D10PRO+,BCL603, A001-A100,B001-B100,C001-C100,D001-D100, E001-E100,QB702,QB702 LITE,QB708,QB709, SQ668,SQ976,SQ666-SQ999

Prepared for : Shenzhen Huagepeng Technology Co., LTD
Address : B-30A, Unit 2, Building 4, Dongsheng Times Garden, No.16 Jinlong Avenue, Liunited Community, Pingshan Street, Pingshan District, Shenzhen


Product : Smart Health Ring

Model No. : SQ666-1,SQ666,SQ666 PRO,SQ666 PRO+,Y10,Y10 PRO,Y10 PRO+,D10, D10PRO,D10PRO+,BCL603,A001-A100,B001-B100,C001-C100, D001-D100,E001-E100,QB702,QB702 LITE,QB708,QB709,SQ668, SQ976,SQ666-SQ999

was tested to conform to the applicable FCC Rules and Regulations

FCC Rules and Regulations Part 15 Subpart B Class B: 2016

Therefore, Shenzhen SAIL Testing Technology Co.,Ltd hereby acknowledges that the manufacturer may issue a declaration of conformity and apply the FCC king in accordance with America Union Rules.

FC

Attestation by:

Mars Zhang, Chief Manager

APPROVED

1.This certificate is only valid in connection with the test report number: SAIL240611702E035Rev1
2.This certificate of conformity is based on a single evaluation of the submitted sample(s) of the above-mentioned product. It does not imply an assessment of the whole production and other relevant directives have to be observed.Other relevant Directives have to be observed.

Equantu

نسخ الشهادات

MSDS و UN38.3 و RoHS (مقتطفات)

مقتطفات فقط — النسخ الكاملة للشهادات وتقارير الاختبار متاحة عند الطلب.


NCT Technology


UN38.3 检测报告

UN38.3 Test Report


深圳天溯计量检测股份有限公司

ShenZhen Tiansu Calibration and Testing Co.,Ltd.

Rep. No.: TSZ22080243-P01-R01


Material Safety Data Sheet

第一部分 化学品及企业标识

Section 1 - Chemical Product and Company Identification

MSDS · UN38.3


Model(s) Bezeichnung : QB-526 QB303, QB512, QB526, QB705, QB806, QB808, QB809, QB812, QB818, QB910, QB957, QB958, QB959, QB960, SQ101, SQ102PLUS, SQ112, SQ122, SQ168, SQ169, SQ170, SQ171, SQ172, SQ173, SQ200, SQ600, SQ666, SQ669, SQ702, SQ707, SQ712, SQ802, SQ805, SQ905, SQ917, SQ953, SQ958, SQ959, MP300, BTK10, SQ603, SQ803, SQ902, QB608, QB702, QB708, QB709

Test Standard Geprüft nach : IEC 62321-3-1:2013, IEC 62321-5:2013, IEC 62321-4:2013+A1:2017, IEC 62321-7-1:2015, IEC 62321-7-2: 2017, IEC 62321-1:2013, IEC 62321-6:2015, IEC 62321-8:2017


Test Report No. Bericht Nr : LTT-230518003R

The EUT described above has been consolidated by us and found in compliance with the council RoHS Directive 2011/65/EU Annex II amending Annex (EU)2015/863 and amending Annex (EU)2017/2102. It is possible to use CE marking to demonstrate the compliance with this RoHS Directive. It is only valid in connection with the test report.

RoHS

Manager

May 18, 2023


RoHS TEST REPORT

Product.....: PROJECTOR QUR' AN SPEAKER

QB-526

QB303, QB512, QB526, QB705, QB806, QB808, QB809, QB812, QB818, QB910, QB957, QB958, QB959, QB960, SQ101, SQ102PLUS, SQ112, SQ122, SQ168, SQ169, SQ170, SQ171, SQ172, SQ173, SQ200, SQ600, SQ666, SQ669, SQ702, SQ707, SQ712, SQ802, SQ805, SQ905, SQ917, SQ953, SQ958, SQ959, MP300, BTK10, SQ603, SQ803, SQ902, QB608, QB702, QB708, QB709

Model.....:

Trademark.....: Equantu/鑫全图

Prepared For.....: Shenzhen Equantu Technology Co., Ltd.

RoHS

Equantu

الاستيراد والامتثال حسب السوق

إرشادات عامة — تأكد من المتطلبات لكل طراز وشحنة مع مخلّصك الجمركي.

01 الاتحاد الأوروبي / المملكة المتحدة

المتطلبات الرئيسية

الاتحاد الأوروبي: CE وفق RED لطرازات Bluetooth (و EMC / LVD لغيرها)، RoHS، WEEE، لائحة البطاريات. بريطانيا العظمى: CE أو UKCA؛ أيرلندا الشمالية: قواعد الاتحاد الأوروبي.

الخطوات التالية

عيّن مستوردًا مسجّلًا في الاتحاد الأوروبي / المملكة المتحدة؛ وجهّز ملصقات متعددة اللغات وملفات MSDS / UN38.3 لبطاريات الليثيوم.

02 الخليج / الشرق الأوسط

المتطلبات الرئيسية

السعودية: SABER / SASO، و IECEE عند الحاجة. الإمارات: MoIAT / ECAS. علامة G-mark الخليجية للمنتجات الخاضعة لنطاقها فقط.

الخطوات التالية

تحقق من اعتماد الأجهزة اللاسلكية في كل دولة، وتأكد من قواعد استيراد بطاريات الليثيوم قبل الشحن.

03 أمريكا الشمالية

المتطلبات الرئيسية

الولايات المتحدة: ترخيص FCC، بما في ذلك الاعتماد اللاسلكي للطرازات اللاسلكية؛ و Prop 65 عند الاقتضاء. كندا: ISED RSS و ICES-003.

الخطوات التالية

ضع معرّف FCC على الطرازات اللاسلكية، والتزم بقواعد نقل الليثيوم وإعادة التدوير.

04 جنوب شرق آسيا

المتطلبات الرئيسية

إندونيسيا: شهادة أجهزة الاتصالات من SDPPI لطرازات Bluetooth، و SNI عند الاقتضاء. ماليزيا: SIRIM. تأكد من القواعد المحلية لكل طراز.

الخطوات التالية

نسّق مع فريق المبيعات والوكلاء المحليين؛ وجهّز المستندات الجمركية لبطاريات الليثيوم.

حزمة مستندات الامتثال

اطلب حزمة مستندات الامتثال الكاملة

شاركنا اسم شركتك ودولتك ورموز SKU للمنتجات — وسيرد مهندس مبيعات بملفات موثّقة خلال 2-1 يوم عمل.

WhatsApp
+86 132 6587 2712

البريد الإلكتروني
info@equantu.com

Trust Center
www.equantu.com/trust-center

نرسل شهادات وتقارير اختبار وإقرارات خاصة بكل SKU لسوقك المستهدف.

امسح للمحادثة عبر WhatsApp

يُرجى تضمين

- اسم الشركة والدولة
- رمز SKU للمنتج / المشروع
- البريد الإلكتروني للعمل أو WhatsApp